




KBN COLLEGE
ESTABLISHED IN 1965



ISO 9001-2015 CERTIFIED

NAAC 'A' GRADE CYCLE 3

KAKARAPARTI BHAVANARAYANA COLLEGE

(AUTONOMOUS)

(Sponsored by S.K.P.V.V. Hindu High Schools' Committee), Kothapeta, Vijayawada - 520 001.
A College with Potential for Excellence (CPE) 3.5 Star Rating in Innovations & Start-Ups by MoE
Recognized as Band PERFORMER in ARIIA by Ministry of Education, Govt. of India

4.4.2: There are established systems and procedures for maintaining and utilizing physical and academic support facilities – laboratory, library, sports complex, computers, classrooms etc.

ADDITIONAL INFO.

⌘ Maintenance Photos of

- ❖ Library

- ❖ Sports & Games (Dept. of Physical Education)

- ❖ Classrooms

- ❖ Labs

- Physics & Electronics

- Chemistry


- Botany

- Zoology

- Computer Science & Applications

**MAINTENANCE PHOTOS OF
(LIBRARY, DEPT. OF PHYSICAL
EDUCATION, LABS)**


Library:



DIGITAL LIBRARY



CLASSROOMS



PHYSICS LAB



CHEMISTRY LAB



BOTANY LAB



ZOOLOGY LAB



COMPUTER SCIENCE & APPLICATIONS



ZOOLOGY MUSEUM




BOTANY MUSEUM



TRAINING TO LAB TECHNICIANS



ANTI-VIRUS (PROTECTION AGAINST VIRUS THREATS)

GSTIN : 37AADFI7698M1ZH		TAX INVOICE		Cell : 93489 99300	
		CASH / CREDIT		<h2>Integrated Electronics</h2>	
		DISTRIBUTORS : MICROTEK INVERTERS & EXIDE BATTERIES			
#12-14-13, Opp. Sivalayam Temple Lane, Kothapet, GUNTUR - 522 001. State: Andhra Pradesh. E-mail : integratedelectronic1968@gmail.com					
Inv. No. <u>085</u> Date : <u>01/08/2022</u> Reverse Charge : Yes or No State : Andhra Pradesh Code : 37		DETAILS OF CONSIGNEE (Shipped to) Party Name : <u>Sk prv Handu High School/Committee</u> Address : <u>Kotapeta Vijayawada</u> <u>Andhra Pradesh</u> GSTIN : <u>37AABA31653D1ZR</u> State : _____ Code : _____			
Sr. No.	DESCRIPTION	HSN Code	Qty.	Unit Price	Total Amount Before CST
1.	Gigabyte Mother Board ^(194/9)	8473	7 NOS.	5889.83	41228.81
2.	Blue Feather - Mother Board ^(194/10)	8473	3 NOS.	2966.10	8898.30
3.	Blue Feather Mother Board - B1 ^(194/11)	8473	1 NOS.	2245.76	2245.76
4.	256 GB SSD Hard Disk ^(194/11)	8471	5 NOS.	1567.80	7839.00
5.	3mps → ^(77/37)	8473	10 NOS.	381.36	3813.60
6.	CMOS Battery → ^(55/8)	8504	100 NOS.	7.63	763.00
7.	DDR4 HUBRAM → ^(93/22)	8459	3 NOS.	1440.68	4322.04
8.	Kaspar Sky - Quik Heat. ^(62/26) Antivirus →	8523	10 NOS.	3050.80	3050.80
TOTAL :					72161.31
Rupees in words : <u>Eighty five thousand one hundred fifty only</u>		ADD CGST	9%		6494.51
Our Bank Details : Bank Name : State Bank of India, Kothapeta, GUNTUR, State : Andhra Pradesh A/C No.:32274489193 IFSC : SB1N0005151		ADD : SGST	9%		6494.51
		ADD : IGST			
		For -			(6.33)
Head Dept. of Computer Science Kakaraparini Bhavanarayana College VIJAYAWADA.		Total Amount After Tax			85150.00
Goods once sold cannot be taken back or exchanged Received the articles in condition as per invoice.		GST Payable on reverse Charge			
Verified <u>MURU</u> 1/8/22 For <u>Integrated Electronics</u> Date <u>1/8/22</u>					

Tax Invoice

(ORIGINAL FOR RECIPIENT)

Integrated Electronic Raheja Complex Shop No, 25 Basement 834, Annasalai, Chennai, 600002 044-42149928/42149640 GSTIN/UIN: 33ABUPR8388M1ZF State Name : Tamil Nadu, Code : 33 E-Mail : integratedelectronic1968@gmail.com	Invoice No.	Dated
	475	17-Dec-2021
Buyer SKPVV HINDU HIGH SCHOOL COMMITTEE Kothapeta, Vijayawada, GSTIN/UIN : 37AABAS1653D1ZR State Name : Andhra Pradesh, Code : 37	Delivery Note	Mode/Terms of Payment
	Supplier's Ref.	Other Reference(s)
	475	
	Buyer's Order No.	Dated
	Despatch Document No.	Delivery Note Date
	Despatched through	Destination
	Terms of Delivery	

SI No	Description of Goods	HSN/SAC	Quantity	Rate	per	Amount
1	K7 Ultimate Security	8523	6 nos	3,813.56	nos	22,881.36
	Output IGST 18%				18 %	4,118.64
Total			6 nos			₹ 27,000.00

62
25

Amount Chargeable (in words) **INR Twenty Seven Thousand Only** E. & O.E

HSN/SAC	Taxable Value	Integrated Tax		Total Tax Amount
		Rate	Amount	
8523	22,881.36	18%	4,118.64	4,118.64
Total	22,881.36		4,118.64	4,118.64

Tax Amount (in words) : **INR Four Thousand One Hundred Eighteen and Sixty Four paise Only**

Company's Bank Details
 Bank Name : ICICI BANK-603805015861
 A/c No. : 603805015861
 Branch & IFS Code : MOUNT ROAD & ICIC0006038

Declaration
 We declare that this invoice shows the actual price of the goods described and that all particulars are true and correct.

for Integrated Electronic
 Authorised Signatory

This is a Computer Generated Invoice

Head Dept. of Computer Science
 Kakraparuni Bhavanarayana College
 VIJAYAWADA.

verified
 received the articles in condition
 duly entered in the stock
 bill is raised for ₹ 27,000/-

Integrated Electronics

Kotthapettah Sivalayam Opp Road, Guntur.

GST No.37AADF17698M1ZH Mobile: 9346999300

TO,

02.12.2021

KBN COLLEGE
VIJAYAWADA

Dear Sir,

S.No	PRODUCT DESCRIPTION	Price	Qty	Total
1	K7 ANTIVIRUS 5 USER	4500.00	6 NOS.	27000.00

Terms and Conditions:

1. Tax : Including GST
2. Validity : 7 days
3. Delivery Period : Order confirms delivery within 7 days.

Thanking you
Yours faithfully

For INTEGRATED ELECTRONICS
Guntur
Cell NO. 9346999300

Rao
3/12/21

[Signature]
2/12/21

**INSTRUMENTS CALIBERATION PROCEDURES
(DEPT. OF CHEMISTRY – FOR REFERENCE)**


Calibration of Colorimeter

Primary Test: Connect the Colorimeter to a Vernier Interface. Allow the Colorimeter to warm up for 5 minutes.

1. Place a cuvette, about 3/4 full of distilled water, in the Colorimeter and close the lid. Select a wavelength.
2. Press and hold the CAL button on the Colorimeter. When the red LED begins to flash, release the CAL button.
3. When the red LED stops flashing, the Colorimeter is calibrated. Check the absorbance readings, which should be very nearly zero.

Secondary test:

1. Prepare a solution with a color (a simple test solution for the 632 nm wavelength setting can be made by adding 2 drops of green food coloring to 100 mL of tap water).
2. After calibrating the Colorimeter, fill a cuvette about 3/4 full with the test solution.
3. Place the cuvette in the Colorimeter and close the lid. The absorbance readings should change to a reading between 0.8 - 1.5.
4. You may dilute the test solution and place a cuvette of the dilute solution in the Colorimeter to check the change in absorbance.
5. The normal, most useful absorbance range is 0.05 - 1.0, or 10% - 90% transmittance.



Calibration of pH Meter

1. Turn on your meter. Press the on/off button for a few seconds to turn on the buffer or water.
2. Prepare your buffer solution. You will generally need more than one buffer for calibrating a pH meter. If you are performing more than a one-point calibration.

For one-point calibration, use pH 7.0 buffer solution.


To prevent contamination, do not dip your electrode into the buffer, discard the buffer after use, and do not pour the buffer back into the bottle.

3. Take the pH meter electrode from its storage solution and clean with distilled water.
4. Dip the clean electrode into the pH buffer solution. Press the calibrate button and wait for the meter to stabilize.

Do not touch it or touch the electrode against anything.

5. Dip the clean electrode into the pH buffer solution. Press the calibrate button and wait for the meter to stabilize.

Remove the electrode from the buffer solution. Rinse the electrode again with distilled water.



Calibration of Conductivity Meter

1. Rinse electrodes.
2. Clean the probe with distilled water, and gently wipe it dry with a lint-free cloth.
3. Place the probe in the standard solution and press "CAL" button.
4. Allow the conductivity display one minute for the reading to stabilize.
5. Press "Back" button, and enter the temperature to read for compensation.
6. Clean the probe with distilled water, and gently wipe it dry with lint-free paper.
7. Place the probe in a sample solution and press "Measurement" button.
8. Measurement will stop after 30-second measurement.
9. When measurement is done, press "Back" button.





Laminar Air Flow

Ensure the instrument is clean and free from dust.

Turn on the instrument

Turn on the switch of UV light, leave the UV on for 10mins (leave the room)

Turn off the UV

Turn on the visible light and airflow

Wipe the cabinet, work surface and materials to be placed inside with 70% ethanol or other disinfectants

Wipe hands with disinfectant

Light the spirit lamp or Bunsen burner inside cabinet

Work

Switch off when finished

LAMINAR FLOW CHAMBER



SAFE USAGE OF CHEMICALS

Do's

1. Store chemicals in their original containers and keep the containers tightly closed.
2. Read all instruction written on label of container before use.
3. Handle / Store chemicals in a well-ventilated area.
4. Wash your hands thoroughly after using the chemicals



Don'ts

1. Don't remove the labels from chemical containers.
2. Don't store food containers near chemicals.



GPS Map Camera

IR Colle
ering and



Google

Vijayawada, Andhra Pradesh, India

Opposite Sinivas Mahal theatre, KBN college road, 520001,
Vinchipeta, Vijayawada, Andhra Pradesh 520001, India

Lat 16.523976°

Long 80.612756°

31/01/22 12:16 PM

CHEMISTRY STORE





MAINTENANCE OF ZOOLOGY MUSEUM SPECIMENS



BOTANY MUSEUM



ILMS (WEBPROS) >> STUDENT LOGIN >> LIBRARY BOOKS

ISO 9001:2015
KAKARAPARTI BHAVANARAYANA COLLEGE (AUTONOMOUS)
Sponsored by S.K.P.V.V. Hindu High Schools' Committee, Kothapeta, Vijayawada - 520001
Affiliated to Krishna University Accreditation with 'A' Grade in Cycle 3 by NAAC
A College with Potential for Excellence (CPE) All India 92nd Rank in NIRF by MHRD (2017)
Recognized as Band PERFORMER in ARIIA by Ministry of Education, Govt. of India

Welcome To K.B.N. College(Autonomous)

Hi...RAMPILLA PRAVEEN Change Password Logout

MENU

- ACADAMIC REGISTER
- ACADEMIC CALENDER
- ASSIGNMENTS REPORT
- ATTENDANCE
- BACKLOGS
- BOOK SEARCH**
- CHANGE MOBILE.NO/E-MAIL
- CLASS ASSIGNMENTS
- COMPLAINT/SUGGESTION
- EXAM-SCHEDULE
- FEEDBACK
- LESSON PLAN
- LIBRARY BOOKS**

STUDENT PROFILE

- BIO-DATA
- PERFORMANCE (Present)
- PERFORMANCE (Past)
- BACKLOGS
- OUTINGS
- COUNSELING DETAILS
- DISCIPLINARY ACTION

Print Export

Activate Window
Go to Settings to acti

SEARCH BY OPTION:

ISO 9001:2015
KAKARAPARTI BHAVANARAYANA COLLEGE (AUTONOMOUS)
Sponsored by S.K.P.V.V. Hindu High Schools' Committee, Kothapeta, Vijayawada - 520001
Affiliated to Krishna University Accreditation with 'A' Grade in Cycle 3 by NAAC
A College with Potential for Excellence (CPE) All India 92nd Rank in NIRF by MHRD (2017)
Recognized as Band PERFORMER in ARIIA by Ministry of Education, Govt. of India

Welcome To K.B.N. College(Autonomous)

Hi...RAMPILLA PRAVEEN Change Password Logout

MENU

- ACADAMIC REGISTER
- ACADEMIC CALENDER
- ASSIGNMENTS REPORT
- ATTENDANCE
- BACKLOGS
- BOOK SEARCH**
- CHANGE MOBILE.NO/E-MAIL
- CLASS ASSIGNMENTS
- COMPLAINT/SUGGESTION
- EXAM-SCHEDULE
- FEEDBACK

SEARCH BY

Acc No Title Author Call No ISBN Course Department

CAMERA SURVEILLANCE IN LIBRARY:



DEPARTMENT OF PHYSICAL EDUCATION & GYMNASIUM



PLAY GROUND



**HERBAL SANITIZATION OF CAMPUS
DURING COVID PANDEMIC PERIOD**

SANITIZATION OF CLASSROOMS





**ANNUAL STOCK VERIFICATION
– NOTICE (FOR REFERENCE)**



ESTD: 1965

0866-2565679

Email: info@kbncollege.ac.in

KAKRAPARTI BHAVANARAYANA COLLEGE (AUTONOMOUS)

(Sponsored by: S.K.P.V.V. Hindu High Schools' Committee)

Kothapeta, Vijayawada - 520 001.

Affiliated to Krishna University, Machilipatnam

Accredited with CGPA of 3.11 on Seven Point Scale at 'A' Grade in Cycle 3 by NAAC

A College with Potential for Excellence (UGC - CPE)

3.5 Star Rating in Innovations & Start-Ups by MoE

Dr. V. NARAYANA RAO, M. Com., Ph.D.,
PRINCIPAL

Date: 30.06.2023.

PHYSICAL VERIFICATION FOR THE YEAR 2022-23

The following teaching staff members are required to carry out physical verification for the period **01-04-2022 to 31-03-2023** i.e., for the year 2022-2023 of the articles, equipment, furniture of the department mentioned against their names with reference (1) previous year closing balance (2) purchases for the year 2022-2023 as per invoice and their entry into registers and (3) consumption of loss.

All particulars of the articles lost or damaged or condemned and their recoveries, if any should be reported, discrepancies of all kinds, if any should be mentioned in the report with relevant particulars.

They are requested to put their initials on every invoices, bill, voucher the contents of which are entered into the stock register subject to their scrutiny.

The reports should reach the under signed as early as possible but not later than **15-07-2023**. The days for verification may be fixed in consultation with the Heads of the Department.

1. Department of Physics & Audio Visual Education : Sri N. Sambasiva Rao *[Signature]*
: Smt. K. Vanama Devi
2. Department of Chemistry : Sri R. Uday Kumar *[Signature]*
3. Department of Botany : Dr. K. Kiran Kumar
4. Department of Zoology : Smt. O. Sailaja
5. Department of Physical Education : Dr. K. Siva Prakasa Rao *[Signature]*
: Captain KPT Vijaya Bhaskar *[Signature]*
: Sri P. Ravindra *[Signature]*
: Sri B.V. Manohar Babu
: Sri Vijayababu Tekkem
: Sri V. Suresh
: Dr. G. Nagaraju *[Signature]*
: Smt. V. Sailaja *[Signature]*
7. Department of Computers : Smt. M. Lakshmi Prasanna
: Sri N. Hemanth Kumar

[Signature]
PRINCIPAL
30/6/23

To

The Lecturers mentioned above should initiate the necessary action.

The HoD of the above Department are requested to obtain the Annual Verification Certificate from the Staff members who verified they books and invoices paste them at the



KAKRAPARTI BHAVANARAYANA COLLEGE (AUTONOMOUS)

(Sponsored by: S.K.P.V.V. Hindu High Schools' Committee)

Kothapeta, VIJAYAWADA – 520 001

Estd : 1965

Affiliated to KRISHNA UNIVERSITY, Machilipatnam

Accredited by NAAC with CGPA 3.11/7 at "A" Grade (3rd Cycle)

College with Potential for Excellence (UGC - CPE)

An ISO 9001:2015 Certified Institution

☎ : 0866-2565679, 6699233

Web: kbncollege.ac.in

Email: info@kbncollege.ac.in

DATE: 23.06.2022

PHYSICAL VERIFICATION FOR THE YEAR 2021-2022

The following teaching staff members are required to carry out physical verification for the period 01-04-2021 to 31-03-2022 i.e., for the year 2021-2022 of the articles, equipment, furniture of the department as mentioned against their names with reference (1) previous year closing balance (2) purchases for the year 2021-2022 as per invoice and their entry into registers and (3) consumption of loss.

All particulars of the articles lost or damaged or condemned and their recoveries, if any should be reported, discrepancies of all kinds, if any should be mentioned in the report with relevant particulars.

They are requested to put their initials on every invoices, bill, voucher the contents of which are entered into the stock register subject to their scrutiny.

The reports should reach the under signed as early as possible but not later than 30/06/2022. The days for verification may be fixed in consultation with the Heads of the Department.

- | | |
|---|----------------------------|
| 1. Department of Physics & Audio Visual Education | : Smt. M.L. prasanna |
| 2. Department of Chemistry | : Sri. P. Ravindra |
| 3. Department of Botany | : Sri. C.T. Nagabhusanam |
| 4. Department of Zoology | : Sri. K.P. Vijaya Bhaskar |
| 5. Department of Physical Education | : Sri. T. Vijayababu |
| | : Sri. S. Vasu |
| 6. Department of Library | : Sri. K. Siva Prakash |
| | : Dr. J.V. Chalapathi Ra |
| | : Smt. K. Vanama Devi |
| | : Smt. P. Gowthami Devi |
| | : Sri. S. Harinadh |
| 7. Department of Computers | : Smt. O. Sailaja |
| | : Sri. Uday Kumar |


PRINCIPAL

23/6/22

To
The Lecturers mentioned above should initiate the necessary action.
The HOD of the above Department are requested to obtain the annual verification Certificate from the Staff members who verified they Books and invoices paste them at the proper place and Submit them to Principal for signature.



KAKARAPARTI BHAVANARAYA PG COLLEGE

(Sponsored by: S.K.P.V.V. Hindu High Schools Committee)
Kothapeta, Vijayawada – 520 001.

☎ : 0866-6699243

ISO 9001: 2008

NAAC 'A' Grade

S.VENKATESH, MBA, M.Phil.,
DIRECTOR

Date: 22-07-2021

Stock Verification for the year 2020-21

The following teaching staff members are requested to carry out stock verification for the period from 1.5.2020 to 30.4.2021. i.e., for the year 2020-21 of the articles equipment, furniture of the department as mentioned against their names with reference to 1) previous year closing balance 2) purchase for the year 2019-2020 as per invoice and their entry into registers and 3) consumption or loss.

All the particulars of the articles loss of damaged or condemned and their recoveries, if any, should be reported, Discrepancies of all kinds, if any, should be mentioned in the report with relevant particulars.

They are further requested to put their initials on every invoice, bill, voucher, the contents of which are entered into stock register subject to their scrutiny.

The reports should reach the undersigned as early as possible but not later than 31-7-2021. The days for verification may be fixed in consultation with the Head of the Departments.

- | | |
|----------------------------|-----------------------------|
| 1. Department of Chemistry | : Sri M.V.T.Ram Pavan Kumar |
| 2. Department of Library | : Sri M.Siva Kishore |
| | : Sri CH.Suhasini |
| | : Sri CH.Sirisha |
| | : Sri Y.Jagadish |

To,

The Lecturers who verify are requested submit a certificate to that effect to the undersigned.

1. M.V.T.Ram Pavan Kumar
2. M.Siva Kishore
3. CH.Suhasini
4. CH.Sirisha
5. Y.Jagadish

Kakaraparti Bhavanarayana College, Vijayawada-1

(Sponsored by S. K. P. V. V. Hindu High Schools' Committee)

Department of _____

STOCK REGISTER

Name of the Article Sulphuric acid ²⁷⁷

S. No.	No. and Date of Invoice	Name of the Company Supplied	Description of the article	Cost per each		Quantity	Amount		Issues or Breakages	Stock on hand	Received if any		Remarks
				Rs.	Ps.		Rs.	Ps.			Rs.	Ps.	
1	15/2-9-2016	Sri Bhawanis S & E		812-50		2x5lit	1625-00			1x1lit			2017.
	5/15-11-2017	SBS & E		637-00		1x2.5lit	637-00						
	70/17-9-2018	SBS & E	LOBA	950-00		1x2.5lit	2914-60			2x2.5lit			2019-
	1173/20-21 27-03-2021	The Empire Scientific Company		950-00 (35%)		2x2.5lit	1235-00			2x2.5lit			2021

Kakaraparti Bhavanarayana College, Vijayawada-1

(Sponsored by S. K. P. V. V. Hindu High Schools' Committee)

Department of _____

STOCK REGISTER

Name of the Article Methyl Acetate ²⁸⁷

S. No.	No. and Date of Invoice	Name of the Company Supplied	Description of the article	Cost per each		Quantity	Amount		Issues or Breakages	Stock on hand	Received if any		Remarks
				Rs.	Ps.		Rs.	Ps.			Rs.	Ps.	
	70/17-9-2018	SBS & E	LOBA	(35%) 450-00		1x500ml	345-14			Mil			2019
	1173/20-21 27-03-2021	The Empire Scientific		450-00 (35%)		1x500ml	292-50			1x500ml			2021

Kakaraparti Bhavanarayana College, Vijayawada-1

(Sponsored by S. K. P. V. V. Hindu High Schools' Committee)

384

Department of _____

STOCK REGISTER

Name of the Article _____

S. No.	No. and Date of Invoice	Name of the Company Supplied	Description of the article	Cost per each		Quantity	Amount		Issues or Breakages	Stock on hand	Received if any		Remarks
				Rs.	Ps.		Rs.	Ps.			Rs.	Ps.	

3 Annual Stock verification certificate For the year 2020-21 :-

Certified that all the articles purchased during the year 2020-21 have been checked with reference to the concerned invoices, vouchers, found correct ^{as per the} ~~and~~ entries in the stock register.

G. K. Srinivas
23/7/21
HOD, P. Acharya

(Stock verified also on 22/7/2021 and 23/7/2021)

S. Venkatesh

[Signature]
23/7/21

[Signature]
23/7/2021
PRINCIPAL - P. Acharya
Kakaraparti Bhavanarayana College
VIJAYAWADA-1.